

A

- Aberrant Cytokine Production by Sezary Syndrome Patients: Cytokine Secretion Pattern Resembles Murine Th2 Cells, Vowels BR, Cassin M, Vonderheid EC, Rook AH, 90
- Abnormal
epidermal differentiation, 795
wound healing, 579
- Abnormal Lamellar Granules in Harlequin Ichthyosis, Milner ME, O'Guin WM, Holbrook KA, Dale BA, 824
- Accessory cell activity, 715
- Accessory Function of Human Langerhans Cells in the Primary Allergic T-Cell Response, Péguet-Navarro J, Dalbierz-Gauthier C, Schmitt D, 875
- Acid, essential fatty, deficiency, 216
- Acknowledgements, 895
- Acute graft-versus-host disease, progressive, 397
- Adhesion Molecule Expression in Polymorphic Light Eruption, Norris PG, Barker JNWN, Allen MH, Leiferman KM, MacDonald DM, Haskard DO, Hawk JLM, 504
- Adhesion
molecules LFA-3 and ICAM-1, 775
proteins, multidomain, 691
- Adult skin, 201
- Aeroallergens, FcεR11/CD23 receptor distribution in patch test reactions in atopic dermatitis, 184
- Aging, effect on the genetic response of cultured keratinocytes to solar-simulated irradiation, 743
- Alleles of human keratin 1, two sizes of, 697
- Allergen(s)
chemical, 1075
contact, 545
-specific T cells, Th2, 1035
- Allergic Contact Dermatitis Releases Soluble Factors That Stimulate Melanogenesis Through Activation of Protein Kinase C-Related Signal-Transduction Pathway, Imokawa G, Yada Y, Okuda M, 482
- Allogeneic T-cell response, primary, 875
- Alopecia areata, topical minoxidil in, 40
- αMSH and Other Melanogenic Activators Mediate Opposite Effects on Tyrosinase and Dopachrome Tautomerase in B16/F10 Mouse Melanoma Cells, Martínez-Liarte JH, Solano F, García-Borrón JC, Jara JR, Lozano JA, 435
- α6β4 integrin, expression of in junctional epidermolysis bullosa, 489
- α_{IIIb}β₃ Integrin Dissociation Induced by EDTA Results in Formation of Birbeck Granule-Like Structures in Human Blood Platelets, Gachet C, Hanau D, Spehner D, Brisson C, Ohlmann P, Schmitt DA, Caizenave J-P, 275
- Amelanotic melanocytes, 629
- American cutaneous leishmaniasis, epidermal compromise in, 955
- Amyloidosis, cutaneous, primary localized, 12
- Anchoring Fibrils, Collagen VII, and Neutral Metalloproteases in Recessive Dystrophic Epidermolysis Bullosa Inversa, Bruckner-Tuderman L, Winberg J-O, Anton-Lamprecht I, Schnyder UW, Gedde-Dahl T Jr, 550
- Angiogenesis, comparison of effects of moist and dry conditions on during dermal repair, 729
- Anti-Inflammatory Effect of FK-506 on Human Skin Mast Cells, de Paulis A, Stellato C, Circillo R, Ciccarelli A, Oriente A, Marone G, 723
- Antibody, novel monoclonal, to a subset of cutaneous dendritic cells, 565
- Antigen(s)
BPAG1 and BPAG2, 409
CD1a, CD1b, and CD1c, 235
cicatrical pemphigoid, 174
immunoprecipitated pemphigus foliaceus fragment, purification of, 819
180-kD bullous pemphigoid, 264
presentation, 1075
protein, 331
tumor-associated, 66S

- Antigen-presenting cells
characteristics of, 20S
co-stimulatory functions of, 62S
- Antigen-specific T-cell activation, 775
- Antileukoproteinase (SKALP) in urine of psoriatic patients, 3
- Argon laser treatment, 160
- Atopic dermatitis
aeroallergens in, 184
enhanced IL-4 production and IL-4 receptor expression in, 403
IgE-positive Langerhans cells and Th2 allergen-specific T cells in, 1035
lesional elastase activity in, 306
- Autoantigen, pemphigus foliaceus, within desmosomes, 323
- Autosomal
dominant form of dystrophic epidermolysis bullosa, 528
recessive ichthyoses, 755

B

- B-cell, cutaneous, lymphomas, 749
- Basal cell carcinoma
breast-cancer-associated stromelysin-3 gene
expression in, 870
development of, 227
eosinophils associated with, 497
growth characteristics, 474
- Basement membrane zone
cutaneous, 258
ontogenesis of, 71
- bFGF receptors, differential modulation of by TGF-β, 201
- β1 integrins, expression of by human Langerhans cells, 12S
- β4 integrins, 409
- Biologic properties of wound fluid, 559
- Birbeck granule, cytomembrane-derived, 53
- Birbeck granule-like structures
in human blood platelets, 27S
internalization of Ia molecules into, 365
- Blood, human, platelets, 27S
- B16/F10 mouse melanoma cells, 435
- BPAG1 and BPAG2, 409
- BP180, bullous pemphigoid antigen, 243
- Breast-Cancer-Associated Stromelysin-3 Gene Is Expressed in Basal Cell Carcinoma and During Cutaneous Wound Healing, Wolf C, Chenard M-P, Durand de Grossouvre P, Bellocq J-P, Chambon P, Basset P, 870
- Bullous, epidermolysis, junctional, 489
- Bullous
congenital ichthyosiform erythroderma, 19
pemphigoid antigen(s)
- BPAG1 and BPAG2, 409
BP180, 243
180-kD, 264
- Buschke-Ollendorff Syndrome Associated with Elevated Elastin Production by Affected Skin Fibroblasts in Culture, Giro MG, Duvic M, Smith LT, Kennedy R, Rapini R, Arnett FC, Davidson JM, 129
- Buthionine sulfoximine, melanoma cytotoxicity of, 289
- Bylaws, The Society for Investigative Dermatology, Inc, 900

C

- Calcitriol, 531
- Calcium transients stimulated by interleukin-8, 294
- Calcium-induced differentiation, protein kinase C in normal human epidermal keratinocytes during proliferation and, 565
- Calgranulin A and B, 639
- Calmodulin gene expression in human neonatal melanocytes, 764
- Cancer-, breast-, associated stromelysin-3 gene, 870
- Candida albicans*, 59

- Carboxyl-terminal V2, subdomain, 697
 Carboxypeptidase, human skin mast cell, 138
 Carcinogen-treated sheep skin, 515
 Carcinogenesis, regulation of the skin immune system by retinoids during, 835
 Carcinoma, basal cell
 breast-cancer-associated stromelysin-3 gene
 expression in, 870
 development of, 227
 eosinophils associated with, 497
 basal cell, growth characteristics, 474
 CD44, an alternate form of, 381, 887
 cDNA
 cloning
 human skin mast cell carboxypeptidase, 138
 of partial, for mouse 180-kDa BPAG2, 258
 partial, for lysyl hydroxylase, 864
 Cd1a, CD1b, and CD1c antigens, 235
 Cell(s)
 accessory
 activity, 715
 dendritic, infection by human immunodeficiency virus
 type 1 (HIV-1), 895
 antigen-presenting
 characteristics in contact sensitization, 205
 co-stimulatory functions of, 625
 basal, carcinoma
 breast-cancer-associated stromelysin-3 gene expression in, 870
 development of, 227
 eosinophils associated with, 497
 carcinoma, growth characteristics, 474
 cutaneous dendritic, distinct subset, 565
 -Elisa, 48
 epidermal
 dendritic, 114
 Langerhans, 237, 595
 proliferation, 294
 subpopulation, 425
 human, dermal microvascular endothelial, 715
 Langerhans
 intact protein antigens, and, 331
 human epidermal, FcεRI mediates IgE binding, 305
 migration of from carcinogen-treated sheep skin, 515
 murine epidermal, 803
 line, microvascular endothelial, immortalized human, 683
 mast, human skin, effect of FK-506 on, 723
 Cellular
 diacylglycerol increased by UV irradiation, 221
 retinoic acid-binding protein II, 146
 retinoid-binding proteins, 795
 Cellular Localization of mRNA for Cellular Retinoic Acid-Binding Protein II and Nuclear Retinoic Acid Receptor-γ1 in Retinoic Acid-Treated Human Skin, Tavakkol A, Griffiths CEM, Keane KM, Palmer RD, Voorhees JJ, 146
 Chain reaction, polymerase, 830
 Characteristics of Antigen-Presenting Cells Involved in Contact Sensitization of Normal and UV-Irradiated Mice, Tang J-M, Dunner K Jr, Kripke ML, Bucana C, 205
 Characterization, Expression, and Immunohistochemical Localization of 3β-Hydroxysteroid Dehydrogenase/δ5-δ4 Isomerase in Human Skin, Dumont M, Luu-The V, Dupont E, Pelletier G, Labrie F, 415
 Characterization of a Glucocorticosteroid-Induced Inhibitor of Interferon-Gamma Induction of HLA-DR Expression, Smith B, Berman B, 35
 Characterization of a Partial cDNA for Lysyl Hydroxylase from Human Skin Fibroblasts; Lysyl Hydroxylase mRNAs Are Regulated Differently by Minoxidil Derivatives and Hydralazine, Yeowell HN, Ha V, Walker LC, Murad S, Pinnell SR, 864
 Characterization of Biologic Properties of Wound Fluid Collected During Early Stages of Wound Healing, Chen WYJ, Rogers AA, Lydon MJ, 559
 Characterization of the Oxidative Stress Initiated In Cultured Human Keratinocytes by Treatment with Peroxides, Vessey DA, Lee K-H, Blacker KL, 859
 Chemical
 allergens, 1075
 irritants, effects on proliferating keratinocytes in 48 h
 patch test reactions, 449
 Cholesterol
 sulfate, 232
 synthesis, regulation, 216
 Chromosome 12, 524
 Cicatricial pemphigoid antigen, 174
 CIELAB color space values, 468
 Cis-urocanic acid, 695
 Clinical, Histologic, and Immunofluorescent Distinctions Between Subacute Cutaneous Lupus Erythematosus and Discoid Lupus Erythematosus, David-Bajar KM, Bennion SD, DeSpain JD, Golitz LE, Lee LA, 251
 Clinical, Laboratory, and Histopathologic Indicators of the Development of Progressive Acute Graft-Versus-Host Disease, Darmstadt GL, Donnenberg AD, Vogelsang GB, Farmer ER, Horn TD, 397
 Clonal immunoglobulin gene rearrangements, 749
 Cloning, cDNA, of human skin mast cell carboxypeptidase, 138
 Cloning and Primary Structural Analysis of the Bullous Pemphigoid Autoantigen BP180, Giudice GJ, Emery DJ, Diaz LA, 243
 Cloning of Partial cDNA for Mouse 180-kDa Bullous Pemphigoid Antigen (BPAG2), a Highly Conserved Collagenous Protein of the Cutaneous Basement Membrane Zone, Li K, Giudice GJ, Tamai K, Do HC, Sawamura D, Diaz LA, Uitto J, 258
 Clues to Diagnosis in Dermatopathology, by AB Ackerman, M Jacobson and P Vitale, *book review*, Golitz LE, 666
 Collagen
 matrices, type IV, 836
 synthesis, decrease in, 337
 type I, 836
 Collagen VII
 (COL7A1) gene, 528
 noncollagenous (NC1) domain of, 691
 recessive dystrophic epidermolysis bullosa inversa, in, 550
 reduced amounts of, 808
 Collagenase
 type IV, keratinocyte-derived, 836
 UVA irradiation stimulation of, 440
 Collagenase in Wound Healing: Effect of Wound Age and Type, Agren MS, Taplin CJ, Woessner JF Jr, Eaglstein WH, Mertz PM, 709
 Collagenous protein, 258
 Color space values, CIELAB, 468
 Comparative Epidermal Langerhans Cell Migration Studies in Epidermal and Epidermal/Dermal Equivalent Grafts, Rowden G, Colp P, Dean S, Auger F, Lopes Valle C, 595
 Comparative Histochemistry of Port-Wine Stains After Copper Vapor Laser (578 nm) and Argon Laser Treatment, Neumann RA, Knobler RM, Leonhartsberger H, Gebhart W, 160
 Comparison of Calmodulin Gene Expression in Human Neonatal Melanocytes and Metastatic Melanoma Cell Lines, Hickie RA, Graham MJ, Buckmeier JA, Meyskens FL Jr, 764
 Comparison of the Effects of Moist and Dry Conditions on the Process of Angiogenesis During Dermal Repair, Dyson M, Young SR, Hart J, Lynch JA, Lang S, 729
 Composition of Free Long-Chain (Sphingoid) Bases in Stratum Corneum of Normal and Pathologic Human Skin Conditions, Wakita H, Nishimura K, Takigawa M, 617
 Connexin 43 protein, gap-junctional, 460
 Constitutive Synthesis of a 92-kDa Keratinocyte-Derived Type IV Collagenase Is Enhanced by Type I Collagen and Decreased by Type IV Collagen Matrices, Sarret Y, Woodley DT, Goldberg GS, Kronberger A, Wynn KC, 836
 Contact
 allergens, 545
 dermatitis
 allergic, 482
 lesional, elastase activity in, 306
 sodium lauryl sulphate-induced, 1095
 hypersensitivity, 695
 sensitivity, 395
 sensitization of normal and UV-irradiated mice, 205
 Control of Human Sebocyte Proliferation In Vitro by Testosterone and 5-Alpha-Dihydrotestosterone Is Dependent on the Localization of the Sebaceous Glands, Akamatsu H, Zouboulis CC, Orfanos CE, 509
 Copper vapor laser (578 nm), 160
 Core Protein of Epican, a Heparan Sulfate Proteoglycan on Keratinocytes, Is an Alternative Form of CD44, The, Kugelman LC, Ganguly S, Haggerty JG, Weissman SM, Milstone LM, 381, 887
 Corneal graft rejection, effect of donor Langerhans cells on, 1045

- Corneum, stratum
intercellular cohesion, 232
role of intercellular lipids in, 278
- Co-stimulatory Functions of Antigen-Presenting Cells, Johnson JG, Jenkins MK, 62S
- Cultured
human, 27
epidermal Langerhans cells, role of LFA-3 and ICAM-1 on, 77S
keratinocytes, 743, 859
scleroderma fibroblasts, 337
skin grafts, functional innervation of, 120
- Cultured Human Langerhans Cells Process and Present Intact Protein Antigens, Cohen PJ, Katz SI, 331
- Cultured Human Melanocytes from Black and White Donors Have Different Sunlight and Ultraviolet A Radiation Sensitivities, Yohn JJ, Lyons MB, Norris DA, 454
- Cutaneous
amyloidosis, primary localized, 12
B-cell and pseudo-B-cell lymphomas, 749
basement membrane zone, 258
contact hypersensitivity, inhibition of, 594
dendritic cells, distinct subset of, 56S
glucose concentrations, measurement of, 357
leishmaniasis, American, epidermal compromise in, 95S
sensitization, persistent immune tolerance to nickel and chromium by oral administration prior to, 608
T-cell lymphoma
patients with, 514
primary, non-Hodgkin's, 587
wound healing, 870
- Cutaneous Adnexal Tumors: A Guide to Pathologic Diagnosis by MR Wick and PE Swanson, *book review*, Fitzpatrick JE, 667
- Cutaneous Blood Flow in Gestational Hypertension and Normal Pregnancy, Tur E, Tamir A, Guy RH, 310
- Cysteinyl leukotrienes in psoriasis, enhanced synthesis of, 8
- Cytokine(s)
immunomodulatory, 66S
network, psoriatic, intraepidermal, 882
production, aberrant, 90
secretion pattern resembles murine Th2 cells, 90
- Cytokine Expression by Epidermal Cell Subpopulations, Matsue H, Cruz PD Jr, Bergstresser PR, Takashima A, 42S
- Cytokine-Induced Expression of Transforming Growth Factor- α and the Epidermal Growth Factor Receptor in Neonatal Skin Explants, Valyi-Nagy I, Jensen PJ, Albelda SM, Rodeck U, 350
- Cytokine-Stimulated Human Dermal Microvascular Endothelial Cells Produce Interleukin 6—Inhibition by Hydrocortisone, Dexamethasone, and Calcitriol, Hettmannsperger U, Detmar M, Owsianowski M, Tenorio S, Kammler H-J, Orfanos CE, 531
- Cytomembrane-Derived Birbeck Granules Transport Horseradish Peroxidase to the Endosomal Compartment in the Human Langerhans Cells, Bartosik J, 53
- Cytoplasmic Domain of the 180-kD Bullous Pemphigoid Antigen, A Hemidesmosomal Component: Molecular and Cell Biologic Characterization, Hopkinson SB, Riddelle KS, Jones JCR, 264
- Cytoskeletal abnormality of epidermolytic hyperkeratosis, keratins K1 and K10 in, 19
- Cytotoxicity
delayed in vitro, 83
melanoma, 289
- D**
- Deleterious Effects of Cis-Urocanic Acid and UVB Radiation on Langerhans Cells and on Induction of Contact Hypersensitivity Are Mediated by Tumor Necrosis Factor-Alpha, Kurimoto I, Streilein JW, 69S
- Demonstration of Clonal Immunoglobulin Gene Rearrangements in Cutaneous B-Cell Lymphomas and Pseudo-B-Cell Lymphomas: Differential Diagnostic and Pathogenetic Aspects, Rijlaarsdam U, Bakels V, van Oostveen JW, Gordijn RJL, Geerts M-L, Meijer CJLM, Willemze R, 749
- Demonstration of Skin-Derived Antileukoproteinase (SKALP) in Urine of Psoriatic Patients, Alkemade H, van de Kerkhof P, Schalkwijk J, 3
- Dendritic cells
accessory, infection of by human immunodeficiency virus type 1 (HIV-1), 89S
cutaneous, distinct subset of, 56S
development and function, 33S
epidermal, 114
murine, 36S
Density of proliferating keratinocytes in 48 h patch test reactions, 449
- Dermal
fibroblasts, human, 31S
fibrosis, fibroblast replication in, 779
microvascular endothelial cells, human cytokine-stimulated, 531
vitronectin receptors on, 71S
repair, comparison of effects of moist and dry conditions on angiogenesis during, 729
- Dermatitis Herpetiformis, Hall RP III, *Progress in Dermatology*, 873
- Dermatitis, allergic contact, 482
- Dermatitis
atopic
acroallergens in, 184
allergen-specific T cells in, 103S
enhanced IL-4 production and IL-4 receptor expression in, 403
IgE-positive Langerhans cells and Th2 allergen-specific T cells in, 103S
contact
and atopic, lesional elastase activity in, 306
sodium lauryl sulphate-induced, 109S
Dermatologic research, industry-funded, 664
- Dermatotoxicology, 4th Ed, Cited by Ed. FN Marzulli and HI Maibach, *book review*, De Young LM, 884
- Dermis of human skin, gap-junctional protein connexin 43 expression in, 460
- Desmosomes, 323
- Development and Function of Dendritic Cells in Health and Disease, Knight SC, Stagg A, Hill S, Fryer P, Griffiths S, 33S
- Dexamethasone, 531
- Diacylglycerol
cellular, increased by UV irradiation, 221
kinase in murine keratinocytes induced by UV irradiation, 221
- Diagnostic Value of T-Cell Receptor Beta Gene Rearrangement Analysis on Peripheral Blood Lymphocytes of Patients with Erythroderma, *letter*, Whittaker SJ, Smith NP, 361
- Differential Effects of Structurally Unrelated Chemical Irritants on the Density of Proliferating Keratinocytes in 48 h Patch Test Reactions, Willis CM, Stephens CJM, Wilkinson JD, 449
- Differential Expression of Calgranulin A and B in Various Epithelial Cell Lines and Reconstructed Epidermis, Saintigny G, Schmidt R, Shrooft B, Juhlin L, Reichert U, Michel S, 639
- Differential Modulation of bFGF Receptors by TGF- β in Adult Skin, Scleroderma Skin, and Newborn Foreskin Fibroblasts, Kikuchi K, Yamakage A, Smith EA, LeRoy EC, Trojanowska M, 201
- Differentiation of Epidermal Langerhans Cells in Macrophage Colony-Stimulating-Factor-Deficient Mice Homozygous for the Osteopetrosis (op) Mutation, Takahashi K, Naito M, Shultz LD, 46S
- Discoid lupus erythematosus and subacute cutaneous lupus erythematosus, distinctions between, 251
- Diseases, heritable, of the skin, markers for genetic linkage analyses in, 519
- Donor Langerhans cells, effect on corneal graft rejection, 104S
- Dopachrome tautomerase, 43S
- Doses of Ultraviolet Radiation that Modulate Accessory Cell Activity and ICAM-1 Expression Are Ultimately Cytotoxic for Murine Epidermal Langerhans Cells, Tang A, Udey MC, 71S
- Dystrophic epidermolysis bullosa
autosomal dominant form of, 528
inversa recessive, 550
mutilating, 808
- E**
- Early Events in the Induction Phase of Contact Sensitivity, Enk AH, Katz SI, 39S
- Ecto-ATPase, membrane, 18S
- Eczema, Edited by R Marks, *book review*, Rajka G, 361
- Editor's Report for 1992—Papers Published in 1991, Norris DA, 892
- EDTA, 27S
- Effect of Aging and Habitual Sun Exposure on the Genetic Response of Cultured Human Keratinocytes to Solar-Simulated Irradiation, Garmyn M, Yaar M, Boileau N, Backendorf C, Gilchrist BA, 743
- Effect of Donor Langerhans Cells on Corneal Graft Rejection, Niederkorn JY, Ross JR, He YG, 104S

- Effect of Local Ultraviolet Irradiation on Infections of Mice with *Candida albicans*, *Mycobacterium bovis* BCG, and *Schistosoma mansoni*, Jeevan A, Evans R, Brown EL, Kripke ML, 59
- Effect of wound age and type in collagenase wound healing, 709
- Effective Enrichment of Murine Epidermal Langerhans Cells by a Modified (Mismatched) Panning Technique, Koch F, Kämpgen E, Schuler G, Romani N, 803
- Effects of Immunomodulatory Cytokines on the Presentation of Tumor-Associated Antigens by Epidermal Langerhans Cells, Grabbe S, Bruvers S, Granstein RD, 665
- Effects of Multiple Applications of Tumor Promoters and Ultraviolet Radiation on Epidermal Proliferation and Antioxidant Status, Cameron GS, Pence BC, 189
- Effects of the Immunosuppressive Dipeptide L-Leucyl-L-Leucine O-Methyl Ester on Epidermal Langerhans Cells, Simon JC, Thiele DL, Schöpf E, Sontheimer RD, 805
- Effects of Ultraviolet Radiation on Murine Epidermal Langerhans Cells: Doses of Ultraviolet Radiation that Modulate ICAM-1 (CD54) Expression and Inhibit Langerhans Cell Function Cause Delayed Cytotoxicity In Vitro, Tang A, Udey MC, 83
- EGF-R, quantitative determination of during epidermal wound healing, 645
- Elastase activity, lesional, 306
- Elastic fibers, molecular biology and pathology of, 660
- Elastin production, elevated, 129
- Electron microscopy, 572
- Endemic pemphigus foliaceus, 78
- Endocytic, multiple, pathways, 75
- Endosomal compartment in the human Langerhans cells, 53
- Endothelial cell(s),
human dermal microvascular
cytokine-stimulated, 531
vitronectin receptors on, 715
line, microvascular, immortalized human, 683
- Enhanced IL-4 Production and IL-4 Receptor Expression in Atopic Dermatitis and Their Modulation by Interferon-Gamma, Renz H, Jujo K, Bradley KL, Domenico J, Gelfand EW, Leung DYM, 403
- Enhanced Production of Plasminogen Activator Activity in Human and Murine Keratinocytes by Transforming Growth Factor- β 1, Keski-Oja J, Koli K, 193
- Enhanced Synthesis of Cysteinyl Leukotrienes in Psoriasis, Fauler J, Neumann C, Tsikas D, Frölich J, 8
- Enzyme, transglutaminase-K, activity and immunoreactivity, 283
- Eosinophils associated with basal cell carcinoma, 497
- Epican, the core protein of, 381, 887
- Epidermal
and epidermal/dermal equivalent grafts, 595
cell
proliferation, 294
subpopulation, 425
dendritic cells, 114
differentiation
abnormal, 795
normal, 795
growth factor receptor
expression in human melanocytic tumor progression, 168
in neonatal skin explants, 350
keratinocyte(s)
human, expression of sialyl Lewis X, 601
protein kinase C in normal human, 565
lamina densa in normal human skin, 572
Langerhans cells
cultured human, role of LFA-3 and, ICAM-1 on, 775
differentiation in macrophage colony-stimulating-factor-deficient mice homozygous for the osteopetrosis mutation, 465
effects of immunomodulatory cytokines on the presentation of tumor-associated antigens, 665
effects of the immunosuppressive dipeptideL-leucyl-L-leucine O-methyl ester, 805
human
expression of β 1 integrins, 125
Fc ϵ II mediates IgE binding, 305
membrane ecto-ATPase on, 185
purification of functional active, 237
murine, Langerhans cells, 803, 715
neoplasia, 515
proliferation, effects of multiple applications of tumor promoters and ultraviolet radiation on, 189
wound healing, quantitative determination of EGF-R during, 645
Epidermal Compromise in American Cutaneous Leishmaniasis, Cáceres-Dittmar G, Sánchez MA, Oriol O, Kraal G, Tapia FJ, 955
- Epidermal HMG CoA Reductase Activity in Essential Fatty Acid Deficiency: Barrier Requirements Rather Than Eicosanoid Generation Regulate Cholesterol Synthesis, Proksch E, Feingold KR, Elias PM, 216
- Epidermal Interleukin 1 α Functional Activity and Interleukin 8 Immunoreactivity Are Increased in Patients with Cutaneous T-Cell Lymphoma, *letter*, Lawlor F, Camp R, Greaves M, 514
- Epidermal Keratinocyte Self-Renewal is Dependent upon Dermal Integrity, Leary T, Jones PL, Appleby M, Blight A, Parkinson K, Stanley M, 422
- Epidermis of human skin grafted onto nude mice, migration of Langerhans cells into, 545
- Epidermis
human
adult, proteoglycans synthesized by, 623
skin, gap-junctional protein connexin 43 expression in, 460
mouse, 3-D reconstruction and stereometric analysis of Langerhans cells in, 774
of seropositive patients, HIV-1 genome detection by PCR in, 995
- Epidermolysis bullosa
dystrophic
autosomal dominant form of, 528
mutilating, 808
inversa, dystrophic, recessive, 550
junctional, 489
- Epidermolytic hyperkeratosis
cytoskeletal abnormality of, 19
phenotype, 524
- Epithelial
cell lines and reconstructed epidermis, differential expression of calgranulin A and B in various, 639
keratins, simple, expression of, 515
- Epithelium, cultured human, grafts, 71
- Epitope Mapping of CD1a, CD1b, and CD1c Antigens in Human Skin: Differential Localization on Langerhans Cells, Keratinocytes, and Basement Membrane Zone, Furue M, Nindl M, Kawabe K, Nakamura K, Ishibashi Y, Sagawa K, 235
- Erythematous, lupus
discoid, 251
subacute cutaneous, 251
- Erythroderma, peripheral blood lymphocytes of patients with, 361
- Essential fatty acid deficiency, *in vitro* model, 703
- Ethical consideration of industry-funded dermatologic research, 664
- Explants, neonatal skin, 350
- Expression and Modulation of the Vitronectin Receptor on Human Dermal Microvascular Endothelial Cells, Swerlick RA, Brown EJ, Xu Y, Lee KH, Manos S, Lawley TJ, 715
- Expression and Role of Integrin Receptors in Sézary Syndrome, Savoia P, Novelli M, Fierro MT, Cremona O, Marchisio PC, Bernengo MG, 151
- Expression, characterization and immunohistochemical localization of 3β -hydroxysteroid dehydrogenase/ δ 5- δ 4 isomerase in human skin, 415
- Expression of Cellular Retinoid-Binding Proteins During Normal and Abnormal Epidermal Differentiation, Busch C, Siegenthaler G, Vahlquist A, Nordlinder H, Sundelin J, Saksena P, Eriksson U, 795
- Expression of Growth Hormone Receptor, Insulin-Like Growth Factor 1 (IGF-1) and IGF-1 Receptor mRNA and Proteins in Human Skin, Tavakkol A, Elder JT, Griffiths CEM, Cooper KD, Talwar H, Fisher GJ, Keane KM, Foltin SK, Voorhees JJ, 343
- Expression of Growth-Associated Protein 43 and Nerve Growth Factor Receptor in Human Skin: A Comparative Immunohistochemical Investigation, Fantini F, Johansson O, 734
- Expression of Integrin α 6 β 4 in Junctional Epidermolysis Bullosa, Jonkman MF, de Jong MCJM, Heeres K, Sonnenberg A, 489
- Expression of 92-kDa Type IV Collagenase mRNA by Eosinophils Associated with Basal Cell Carcinoma, Stähle-Bäckdahl M, Sudbeck BD, Eisen AZ, Welgus HG, Parks WC, 497
- Expression of Simple Epithelial Keratins in Epidermal Neoplasia Is Not Directly and Exclusively Related to Malignancy, *letter*, Nindl M, Nakagawa H, Furue M, Ishibashi Y, 515
- Expression of the High-Affinity Receptor for IgE (Fc ϵ RI) on Human Langerhans Cells: The End of a Dogma, Bieber T, de la Salle H, de la Salle C, Hanau D, Wollenberg A, 105

Expression of Transforming Growth Factor Type Beta on Human Epidermal Dendritic Cells, *rapid communication*, Gruschwitz MS, Hornstein OP, 114

Extracellular matrix, 691

F

Fatty acid, essential, deficiency
epidermal HMG CoA reductase activity in, 216
in vitro model of, 703

Fatty acid-binding protein, 299

FcεR11/CD23 Receptor Distribution in Patch Test Reactions to Aeroallergens in Atopic Dermatitis, Buckley CC, Ivson C, Poulter LW, Rustin MHA, 184

FcεRI Mediates IgE Binding to Human Epidermal Langerhans Cells, Rieger A, Wang B, Kilgus O, Ochiai K, Maurer D, Födinger D, Kinet J-P, Stingl G, 305

FcγRII/CD32, soluble, 155

Fibrils, anchoring, in recessive dystrophic epidermolysis bullosa inversa, 550

Fibroblast(s)
Buschke-Ollendorff syndrome associated with elevated elastin production by affected skin, 129
cultured human, UVA irradiation stimulates collagenase production in, 440
human
dermal, 315
skin, 864
keloid, 650
mutilating dystrophic epidermolysis bullosa, from patients with, 808
newborn foreskin, 201
replication in dermal fibrosis, 779
scleroderma, cultured human, 337 3T3, 386
xeroderma pigmentosum complementation group A, 634

Fibronectin, 656, 787, 125

Fibronectin Gene Transcription Is Enhanced in Abnormal Wound Healing, Oliver N, Babu M, Diegelmann R, 579

Fibrosis, dermal, fibroblast replication in, 779

Fiscal considerations of industry-funded dermatologic research, 664

5-α-dihydrotestosterone, 509

FK-506, 723

Flurbiprofen, percutaneous absorption in the hairless rat, 431

Fogo Selvagem, 78

Foreskin, newborn, fibroblasts, 201

48 h patch test reactions, 449

Fourth component of complement (C4), molecular heterogeneity of, 853

Functional Innervation of Cultured Skin Grafts, English KB, Stayner N, Krueger GG, Tuckett RP, 120

Functional Role of Adhesion Molecules LFA-3 and ICAM-1 on Cultured Human Epidermal Langerhans Cells in Antigen-Specific T-Cell Activation, Teunissen MBM, 775

G

Gamma interferon and cell surface receptors, 882

Gap-Junctional Protein Connexin 43 Is Expressed in Dermis and Epidermis of Human Skin: Differential Modulation by Retinoids, Guo H, Acevedo P, Parsa FD, Bertram JS, 460

Gel electrophoretic analysis of basal cell carcinoma *in vitro*, 474

Genealogy of human skin mast cell carboxypeptidase, 138

Gene
calmodulin, expression in human neonatal melanocytes, 764
human
K5 keratin, 206
K14 keratin, 842
involucrin, 542
loricrin, 542
profilaggrin, 542
transcription, fibronectin, 579

Genetic linkage analyses, markers for in heritable diseases of the skin, 519

Genetic Linkage Between the Collagen VII (COL7A1) Gene and the Autosomal Dominant Form of Dystrophic Epidermolysis Bullosa in Two Dutch Kindreds, Gruis NA, Bouwes Bavinck JN, Steijlen PM, van der Schroeff JG, van Haeringer A, Happle R, Mariman E, van Beer-sum SEC, Uitto J, Vermeer BJ, Frants RR, 528

Genetic Skin Disorders of Keratin, Fuchs E, 671

Genome, human, polymorphism of, 519

Gestational hypertension, cutaneous blood flow in, 310

Glands, sebaceous, 509

Glucocorticosteroid-induced inhibitor of interferon-γ induction of HLA-DR expression, characterization of, 35

Glucose concentrations, cutaneous, measurement of, 357

Glycine-rich carboxyl-terminal V2 subdomain, 697

Glycosaminoglycan free chain expression in 3T3 fibroblasts and human keratinocytes, 386

Graft(s)
corneal, rejection, effect of donor Langerhans cells on, 1045
cultured human epithelium, 71
epidermal and epidermal/dermal equivalent, 595

Graft versus host disease, 779

Granules, lamellar, abnormal, 824

Growth Characteristics and Differentiation of Basal Cell Carcinoma *In Vitro*—Immunohistochemical, Gel Electrophoretic, and Ultrastructural Analysis, Asada M, Schaart F-M, Detmar M, Mischke D, de Almeida HL Jr, Gollnick H, Orfanos CE, 474

Growth
-associated protein 43, 734
factor receptor, epidermal, 350
hormone receptor, expression in human skin, 343

H

Habitual sun exposure, effect on the genetic response of cultured keratinocytes to solar-simulated irradiation, 743

Harlequin ichthyosis, 824

Healing, cutaneous wound, 870

Helium neon laser irradiation, low-energy, 445

Heparan sulfate proteoglycan, 381, 887

Heritable diseases of the skin, markers for genetic linkage analyses in, 519

Herpetiformis, dermatitis, 873

Heterogeneity, molecular, of the fourth component of complement (C4), 853

HIV-1
entry and replication in Langerhans cells, 995
genome detection, 995
infection of accessory dendritic cells by, 895
isolation, 271

HLA-DR expression, 35

HMEC-1: Establishment Of An Immortalized Human Microvascular Endothelial Cell Line, Ades EW, Candal FJ, Swerlick RA, George VG, Summers S, Bosse DC, Lawley TJ, 683

HMG CoA reductase activity, epidermal, 216

Homeostatic mechanism, implication for, 315

Homozygous mice for the osteopetrosis (op) mutation, 465

Horseshoe peroxidase, 53

Human Dermal Fibroblast Interleukin-1 Receptor Antagonist (IL-1ra) and Interleukin-1β (IL-1β) mRNA and Protein Are Co-Stimulated by Phorbol Ester: Implication for a Homeostatic Mechanism, Chan LS, Hammerberg C, Kang K, Sabb P, Tavakkol A, Cooper KD, 315

Human
blood platelets, 275
dermal microvascular endothelial cells
cytokine-stimulated, 531
vitronectin receptor on, 715
epidermal Langerhans cells
cultured, role of LFA-3 and ICAM-1 on, 775
FcεII mediates IgE binding, 305
genome, polymorphism of, 519
immunodeficiency virus type 1 (HIV-1)
genome detection by PCR, 995
infection of accessory dendritic cells, 895
isolation of, 271
K5 keratin gene, 206
K14 keratin gene, 842
keratin 1, alleles, two sizes, 697
keratinocytes
cell line, ICAM-1 expression in a spontaneously transformed, 48
cultured, 743, 859
effect of low energy helium neon laser irradiation on, 445
enhanced production of plasminogen activator activity in, 193
normal and transformed, 409
retinol uptake in, 512

- Langerhans cells, accessory function of in the primary allogeneic T-cell response, 875
- melanocyte
attachment to fibronectin, 787
cultured, 454
tumor progression, 168
- microvascular endothelial cell line, immortalized, 683
- neonatal melanocytes, calmodulin gene expression in, 764
- sebocyte proliferation, control of in vitro by testosterone and 5-alpha-dihydrotestosterone, 509
- skin
epidermis, 545
fibroblasts, 864
mast cells, effect of FK-506 on, 723
nerve growth factor receptor in, 734
normal, scanning electron microscopy of the epidermal lamina densa, 572
retinoic acid-treated, 146
tuberculin-induced delayed-type hypersensitivity reactions in, 784
- Human Epidermal Keratinocyte Expression of Sialyl-Lewis X, Symington FW, Holmes EH, Symington BE, 601
- Human Epidermal Langerhans Cells Express $\beta 1$ Integrins that Mediate Their Adhesion to Laminin and Fibronectin, Staquet M-J, Lévartlet B, Dezutter-Dambuyant C, Schmitt D, 125
- Human Skin Mast Cell Carboxypeptidase: Functional Characterization, cDNA Cloning, and Genealogy, Natsuaki Ma, Stewart C-B, Vanderslice P, Schwartz LB, Natsuaki Me, Wintroub BU, Rutter WJ, Goldstein SM, 138
- Hydralazine, 864
- Hydrocortisone, 531
- Hyperkeratosis, epidermolytic
cytoskeletal abnormality of, 19
phenotype, 524
- Hypersensitivity, contact, 695
- Hypertension, gestational, cutaneous blood flow in, 310
- ## I
- Ia molecules, internalization into Birbeck granule-like structures in murine dendritic cells, 365
- ICAM-1
(CD54) expression, ultraviolet radiation, modulation of, 83
expression, 48, 715
role on cultured human epidermal Langerhans cells, 775
- ICAM-1 Expression in a Spontaneously Transformed Human Keratinocyte Cell Line: Characterization by a Simple Cell-ELISA Assay, Winiski AP, Foster CA, 48
- Ichthyoses, autosomal recessive, 755
- Ichthyosiform erythroderma, bullous congenital, 19
- Ichthyosis, harlequin, 824
- Identification and Characterization of a Cell Surface Proteoglycan on Keratinocytes, Haggerty JG, Bretton RH, Milstone LM, 374
- Identification of the Retinoic Acid and Thyroid Hormone Receptor-Responsive Element in the Human K14 Keratin Gene, Tomic-Canic M, Sunjevaric I, Freedberg IM, Blumenberg M, 842
- IgE
binding, Fc ϵ II mediated, to human epidermal Langerhans cells, 305
(Fc ϵ RI), high-affinity receptor for, 105
- IgE-Positive Langerhans Cells and TH2 Allergen-Specific T Cells in Atopic Dermatitis, Mudde GC, van Reijssen FC, Bruijnzeel-Koomen CAFM, 1035
- IGF-1 receptor mRNA, expression in human skin, 343
- IL-1 β
Langerhans cells as major source of mRNA for, 537
mRNA, 315
- IL-1ra, 315
- IL-3 Production as an *In Vitro* Marker of the Genetically Determined Traits of UVB Susceptibility and UVB Resistance, Streilein JW, Kurimoto I, Mammolenti M, 745
- IL-4 production and receptor expression, enhanced, in atopic dermatitis, 403
- Immortalized human microvascular endothelial cell line, 683
- Immune tolerance, persistent, to nickel and chromium, 608
- Immunodeficiency virus type 1, human, isolation of, 271
- Immunoglobulin, clonal, gene rearrangements, 749
- Immunohistochemical
analysis of basal cell carcinoma in vitro, 474
localization of 3 β -hydroxysteroid dehydrogenase/ $\delta 5$ - $\delta 4$ isomerase in human skin, 415
- Immunohistochemical Distribution of Adult T-Cell Leukemia-Derived Factor/Thioredoxin in Epithelial Components of Normal and Pathologic Human Skin Conditions, Wakita H, Yodoi J, Masutani H, Toda K-i, Takigawa M, 101
- Immunologic cross-reactivities with the bullous pemphigoid antigen, 174
- Immunological and Pharmacological Aspects of Atopic and Contact Eczema, 9th CIRD Galderma Symposium on Advances in Skin Pharmacology, Cannes, October 4-6, 1990, Volume Ed. JM Czernielewski, Volume 4 in Pharmacology and the Skin, B Shroet, H Schaefer, *book review*, Leung DYM, 666
- Immunomodulatory cytokines, 665
- Immunomorphologic and Biochemical Identification of the Pemphigus Foliaceus Autoantigen Within Desmosomes, Rappersberger K, Roos N, Stanley JR, 323
- Immunoprecipitated pemphigus foliaceus antigen fragment, purification of, 819
- Immunosuppressive dipeptide L-leucyl-L-leucine O-methyl ester, 805
- Immunosuppression, local, produced by topical spiperone without inducing systemic neuroleptic effects, 594
- In This Issue
Norris DA, 1
Rettig Emanuel J, 241, 363, 517, 669
Weston WL, 118
- In Vitro* Model of Essential Fatty Acid Deficiency, Marcelo CL, Duell EA, Rhodes LM, Dunham WR, 703
- In Vitro* HIV-1 Entry and Replication in Langerhans Cells May Clarify the HIV-1 Genome Detection by PCR in Epidermis of Seropositive Patients, Dusserre N, Dezutter-Dambuyant C, Mallet F, Delorme P, Philit F, Ebersold A, Desgranges C, Thiviolet J, Schmitt D, 995
- Increased Level of Intracellular MHC Class II Molecules in Murine Langerhans Cells Following *In Vivo* and *In Vitro* Administration of Contact Allergens, Becker D, Mohamadizadeh M, Reske K, Knop J, 545
- Increasing Epidermal Growth Factor Receptor Expression in Human Melanocytic Tumor Progression, de Wit PEJ, Moretti S, Koenders PG, Weterman MAJ, van Muijen GNP, Gianotti B, Ruiter DJ, 168
- Induction of the 72-kD Heat Shock Protein in Xeroderma Pigmentosum Complementation Group A Fibroblasts, Muramatsu T, Tada H, Kobayashi N, Yamaji M, Shirai T, Ohnishi T, 634
- Industry-Funded Dermatologic Research Within Academia in the United States: Fiscal and Ethical Considerations, *letter*, Chren M-M, 664
- Infection of Accessory Dendritic Cells by Human Immunodeficiency Virus Type 1, Langhoff E, Haseltine WA, 895
- Inflammation, skin, 675
- Inhibition of Cutaneous Contact Hypersensitivity in the Mouse with Systemic or Topical Spiperone: Topical Application of Spiperone Produces Local Immunosuppression Without Inducing Systemic Neuroleptic Effects, Sharpe RJ, Chandrasekar A, Arndt KA, Wang Z-S, Galli SJ, 594
- Insulin-like growth factor 1, expression in human skin, 343
- Integrin receptors in Sézary syndrome, expression and role of, 151
- Integrin
 $\alpha 6 \beta 4$ in junctional epidermolysis bullosa, 489
 $\alpha_{11\beta 3}$, 275
 $\beta 4$, 409
- Intercellular lipids, 278
- Interferon, gamma, and cell surface receptors, 882
- Interferon-gamma
induction of HLA-DR expression, 35
modulation of enhanced IL-4 production and IL-4 receptor expression in atopic dermatitis, 403
synergistic effects on monocyte phosphodiesterase activity, 65
- Interferon- γ in conjunction with relaxin, 337
- Interleukin immunoreactivity, 514
- Interleukin 1 α , epidermal, 514
- Interleukin 4, synergistic effects on monocyte phosphodiesterase activity, 65
- Interleukin-6, 531
- Interleukin 8 mRNA, 830
- Interleukin-8 (NAP-1) and Related Chemotactic Cytokines, Edited by M Baggiolini and CS Karger, *book review*, Modlin R, 885
- Interleukin-8 Stimulates Calcium Transients and Promotes Epidermal Cell Proliferation, Tuschil A, Lam C, Haslberger A, Lindley I, 294
- Internalization of Ia Molecules into Birbeck Granule-Like Structures in Murine Dendritic Cells, Bucana CD, Munn CG, Song MJ, Dunner K Jr, Kripke ML, 365
- Interstitial water space in human skin, microdialysis of, 357

Intracellular MHC Class II, 545

Intraepidermal Psoriatic Cytokine Network Involves Gamma Interferon, Transforming Growth Factor-Alpha, and Their Cell Surface Receptors: Dysregulation Rather than Deficiency, *letter*, Nickoloff BJ, Mitra RS, 882

Introduction: Third International Workshop on Langerhans Cells, Baer RL, 55

Involucrin genes, 542

Iron, reactive oxygen species and, in skin inflammation, 675

Irradiation

low-energy helium neon laser, 445

solar-simulated, 743

ultraviolet A, 440

UV light, 221

Isolation of Human Immunodeficiency Virus Type 1 from Human Epidermis: Virus Replication and Transmission Studies, Berger R, Gartner S, Rappersberger K, Foster CA, Wolff K, Stingl G, 271

J

Junctional epidermolysis bullosa, 489

K

Keloid Fibroblasts Exhibit an Altered Response to TGF- β , Babu M, Diegelmann R, Oliver N, 650

Keratin(s)

gene

human K5, 206

type II, cluster, 524

genetic skin disorders of, 671

simple epithelial, expression of, 515

Keratin 1, two sizes of alleles of human, 697

Keratins K1 and K10 in the cytoskeletal abnormality of epidermolytic hyperkeratosis, 19

Keratinocyte(s)

cultured human, 743, 859

density of proliferating, in 48 h patch test reactions, 449

epican core protein, a heparan sulfate proteoglycan, effects on, 381, 887

epidermal, self-renewal, 422

human

enhanced production of plasminogen activator activity in, 193

identification and characterization of a cell surface proteoglycan on, 374

low-energy helium neon laser irradiation, effect on, 445

normal and transformed, 409

retinol uptake in, 512

topography of proteoglycan and glycosaminoglycan free chain expression in 3T3 fibroblasts, 386

ICAM-1 expression in a spontaneously transformed human cell line, 48

murine, enhanced production of plasminogen activator activity in, 193

protein kinase C in normal epidermal, 565

transglutaminase, type I, expression in human skin and psoriasis, 27

Keratinocyte Migration Is Partially Supported by the Cell-Binding Domain of Fibronectin and Is RGDS-Dependent, *rapid communication*, Sarret Y, Stamm C, Jullien D, Schmitt D, 656

Keratinocyte-derived type IV collagenase, 836

Keratinocytes and Fibroblasts from a Patient with Mutilating Dystrophic Epidermolysis Bullosa Synthesize Drastically Reduced Amounts of Collagen VII: Lack of Effect of Transforming Growth Factor- β , König A, Lauharanta J, Bruckner-Tuderman L, 808

Keratinocytes in Vitiligo, *letter*, Mollemann G, 665

K5 keratin gene, human, 206

K14 keratin gene, human, 842

Kinase C, protein, 565

Korean Society for Investigative Dermatology—Happy First Anniversary, *letter*, Uitto J, 516

L

Lamellar granules, abnormal, 824

Lamina densa, epidermal, in normal human skin, 572

Lamina Densa Malformation Involved in Histogenesis of Primary Localized Cutaneous Amyloidosis, Horiguchi Y, Fine J-D, Leigh IM, Yoshiki T, Ueda M, Imamura S, 12

Laminin, 125

Langerhans Cells Are the Major Source of mRNA for IL-1 β and MIP-1 α Among Unstimulated Mouse Epidermal Cells, Matsue H, Cruz PD Jr, Bergstresser PR, Takashima A, 537

Langerhans Cells, Antigen Presentation, and the Diversity of Responses to Chemical Allergens, Cumberbatch M, Gould SJ, Peters SW, Basketter DA, Dearman RJ, Kimber I, 1075

Langerhans cells

cultured human epidermal, role of LFA-3 and ICAM-1 on, 775

donor, effect on corneal graft rejection, 1045

endosomal compartment in human, 53

epidermal

differentiation in macrophage

colony-stimulating-factor-deficient mice homozygous for osteopetrosis (op) mutation, 465

effects of immunomodulatory cytokines on the presentation of tumor-associated antigens by, 665

effects of the immunosuppressive dipeptide L-leucyl-L-leucine O-methyl ester on, 805

functional active, 237

migration studies, 595

HIV-1 entry and replication in, 995

human

accessory function in the primary allogeneic T-cell response, 875

release of soluble Fc γ RII/CD32 molecules by, 155

skin, lymph containing, 1095

IgE binding to, 305

IgE-positive, 1035

intact protein antigens and, 331

migration

from carcinogen-treated sheep skin, 515

into epidermis of human skin grafted onto nude mice, 545

stimulation by TNF- α , 485

mouse epidermis, 3-D reconstruction and stereometric analysis in, 774

murine

epidermal, 803, 715

increased levels of intracellular MHC class II

molecules in, 545

Laser

irradiation, helium neon, low-energy, 445

treatments, copper vapor and argon, 160

Leishmaniasis, American cutaneous, epidermal compromise in, 955

Lesional Elastase Activity in Psoriasis, Contact Dermatitis, and Atopic Dermatitis, Wiedow O, Wiese F, Streit V, Kalm C, Christophers E, 306

Leukotrienes, cysteinyl, 8

LFA-3, role of on cultured human epidermal Langerhans cells, 775

Light eruption, polymorphic, 504

Linkage of the Epidermolytic Hyperkeratosis Phenotype and the Region of the Type II Keratin Gene Cluster on Chromosome 12, Bonifas JM, Bare JW, Chen MA, Lee MK, Slater CA, Goldsmith LA, Epstein EH Jr, 524

Lipids

intercellular, 278

stratum corneum, 232

Liposomes, multilamellar, 108

Localization, immunohistochemical, of 3 β -hydroxysteroid dehydrogenase/ δ 5- δ 4 isomerase in human skin, 415

Long-chain (sphingoid) bases in stratum corneum of normal and pathologic human skin conditions, 617

Loricrin genes, 542

Low-Energy Helium Neon Laser Irradiation Does Not Alter Human Keratinocyte Differentiation, Rood PA, Haas AF, Graves PJ, Wheeland RG, Isseroff RR, 445

Lupus erythematosus

discoid, 251

subacute cutaneous, 251

Lymph, human skin, containing Langerhans cells, 1095

Lymphoid infiltration, perifollicular, 40

Lymphoma(s),

cutaneous B-cell and pseudo-B-cell, 749

cutaneous T-cell, 514

Lysyl hydroxylase mRNAs, 864

M

Macrophage colony-stimulating-factor-deficient mice homozygous for the osteopetrosis (op) mutation, 465

- Major Cicatricial Pemphigoid Antigen Is a 180-kD Protein that Shows Immunologic Cross-Reactivities with the Bullous Pemphigoid Antigen, The, Bernard P, Prost C, Durepaire N, Basset-Seguín N, Didierjean L, Saurat J-H, 174
- Malignant melanoma, "thin", 180
- Malignant Skin Tumors, 2nd Ed. Edited by AJJ Emmett and MGE O'Rourke, book review, Mellette JR, 884
- Mapping of The Trichohyalin Gene: Co-Localization with the Profilagrin, Involucrin, and Loricrin Genes, Fietz MJ, Rogers GE, Eyre HJ, Baker E, Callen DF, Sutherland GR, 542
- Mast cells
carboxypeptidase, human skin, 138
human skin, effect of FK-506 on, 723
- Matrix, extracellular, 691
- Melanocyte(s)
amelanotic, 629
attachment, human, to fibronectin, 787
cultured human, 454
human neonatal, calmodulin gene expression in, 764
tumor progression, human, 168
- Melanogenesis, 482
- Melanogenic activators, 435
- Melanoma
cells, B16/F10 mouse, 435
malignant, "thin", 180
- Melanoma Cytotoxicity of Buthionine Sulfoximine (BSO) Alone and in Combination with 3,4-Dihydroxybenzylamine and Melphalan, Prezioso JA, FitzGerald GB, Wick MM, 289
- Melphalan, 289
- Membrane Ecto-ATPase on Epidermal Langerhans Cells, Girolomoni G, Santantonio ML, Bergstresser PR, Cruz PD Jr, Giannetti A, 18S
- Membrane Structural Abnormalities in the Stratum Corneum of the Autosomal Recessive Ichthyoses, Ghadially R, Williams ML, Hou SYE, Elias PM, 755
- Metalloproteases, neutral, in recessive dystrophic epidermolysis bullosa inversa, 550
- Meter, push-pull, 232
- Mice
homozygous for the osteopetrosis (op) mutation, 46S
nude, migration of Langerhans cells into the epidermis of grafted human skin, 54S
- Microdialysis of the Interstitial Water Space in Human Skin In Vivo: Quantitative Measurement of Cutaneous Glucose Concentrations, rapid communication, Petersen LJ, Kristensen JK, Bülow J, 357
- Microscopy, electron, 572
- Microvascular endothelial cell(s), human dermal cytokine-stimulated, 531
- line, immortalized human, 683
vitronectin receptor on, 715
- Migration, keratinocyte, 656
- Migration of Langerhans Cells from Carcinogen-Treated Sheep Skin, Dandie GW, Ragg SJ, Muller HK, 51S
- Migration of Langerhans Cells into the Epidermis of Human Skin Grafted onto Nude Mice, Démarchez M, Asselineau D, Régnier M, Czernielewski J, 54S
- Minoxidil
derivatives, 864
topical, in alopecia areata, 40
- Minutes of the Annual General Meeting of the European Society for Dermatological Research, London, Sunday 5 April, 6:15 AM, 908
- Minutes of the European Society for Dermatological Research Board, London, Saturday 4 April, 8:30AM, Kensington Town Hall, 908
- Minutes of the European Society for Dermatological Research Board, London, Monday 6 April, 1PM, 910
- MIP-1 α , 537
- Mitotic Activity in the Dermis of Mice During Graft Versus Host Disease: The Role of Fibroblast Replication in Dermal Fibrosis, Katelaris A, Penny R, Breit SN, 779
- Model of essential fatty acid deficiency, *in vitro*, 703
- Modified (mismatched) panning technique, 803
- Molecular and cell biologic characterization of the cytoplasmic domain of the 180-kD bullous pemphigoid antigen, 264
- Molecular Cloning and Expression of a Novel Keratinocyte Protein (Psoriasis-associated fatty acid-binding protein [PA-FABP]) that is Highly Up-Regulated in Psoriatic Skin and That Shares Similarity to Fatty Acid-Binding Proteins, Madsen P, Rasmussen HH, Leffers H, Honoré B, Celis JE, 299
- Molecular Heterogeneity of the Fourth Component of Complement (C4) and its Genes in Vitiligo, Venneker GT, Westerhof W, de Vries IJ, Drayer NM, Wolthers BG, de Waal LP, Bos JD, Asghar S, 853
- Molecular Mechanisms of Human Melanocyte Attachment to Fibronectin, Scott G, Ryan DH, McCarthy JB, 787
- Molecule, adhesion, expression in polymorphic light eruption, 504
- Monoclonal antibody, novel, to a subset of cutaneous dendritic cells, 56S
- Monocyte phosphodiesterase activity, synergistic effects of interleukin 4 and interferon-gamma on, 65
- Mouse epidermis, 3-D reconstruction and stereometric analysis of Langerhans cells in, 774
- mRNA
cellular localization, 146
IL-1 β , 315
interleukin 8, 830
source for IL-1 β and MIP-1 α , 537
- Multidomain adhesion proteins, 691
- Multilamellar liposomes, 108
- Multiple Endocytic Pathways, Anderson RGW, 7S
- Murine
dendritic cells, 365
epidermal Langerhans cells, 803, 71S
keratinocytes, 193
Langerhans cells, 545
Th2 cells, cytokine secretion pattern resemblance to, 90
- Mutilating dystrophic epidermolysis bullosa, 808
- Mycobacterium bovis* BCG, 59

N

- Necrosis, tumor, factor-alpha, 69S
- Neonatal
melanocytes, human, calmodulin gene expression in, 764
skin explants, 350
- Neoplasia, epidermal, 51S
- Nerve growth factor receptor in human skin, 734
- Neutral metalloproteases in recessive dystrophic epidermolysis bullosa inversa, 550
- Newborn foreskin fibroblasts, 201
- ¹⁹F magnetic resonance spectroscopy, 431
- 1992 Articles of Association, European Society for Dermatological Research (as amended through the XVIIIth General Assembly of Members, June 20, 1988), Friedmann PS, 904
- 92-kDa
keratinocyte-derived type IV collagenase, 836
type IV collagenase mRNA, expression of, 497
- Nodal T-cell lymphomas, primary, non-Hodgkin's, 587
- Noncollagenous (NC1) Domain of Collagen VII Resembles Multidomain Adhesion Proteins Involved in Tissue-Specific Organization of Extracellular Matrix, Gammon WR, Abernethy ML, Padilla KM, Prisyanyan PS, Cook ME, Wright J, Briggaman RA, Hunt SW III, 691
- Normal
epidermal differentiation, 79S
human keratinocytes, 409
skin, scanning electron microscopy of the epidermal lamina densa in, 572
- Novel Monoclonal Antibody to a Distinct Subset of Cutaneous Dendritic Cells, A, Kolde G, Mohammadzadeh M, Lipkow T, Knopp J, 56S
- Nuclear Proteins Involved in Transcription of the Human K5 Keratin Gene, Ohtsuki M, Tomic-Canic M, Freedberg IM, Blumenberg M, 206
- Nuclear retinoic acid receptor- γ 1 in retinoic acid-treated human skin, 146
- Nude mice, migration of Langerhans cells into the epidermis of grafted human skin, 54S

O

- 180-kD
bullous pemphigoid antigen, 264
protein, 174
- 180-kDa bullous pemphigoid antigen, cloning of partial cDNA for mouse, 258
- Ontogenesis of the Basement Membrane Zone After Grafting Cultured Human Epithelium: A Morphologic and Immunoelectron Microscopic Study, Mommaas AM, Teepe RGC, Leigh IM, Mulder AA, Koeburkke EJ, Vermeer BJ, 71
- Organ culture, whole skin, 623

Osteopetrosis (op) mutation, 465
 Oxidative stress, 859
 Oxygen species, reactive, in skin inflammation, 675

P

Panning technique, modified (mismatched), 803
 Papillomas, preclinical system for evaluating topical podofilox treatment, 813
 Partial cDNA for lysyl hydroxylase, characterization of, 864
 Patch test reactions, 48 h, effects of chemical irritants on the density of proliferating keratinocytes, 449
 PCR detection of HIV-1 genome in epidermis of seropositive patients, 99S
 Pemphigoid antigen, cicatricial, 174
 Pemphigus foliaceus autoantigen within desmosomes, 323
 Pemphigus foliaceus
 antigen fragment, immunoprecipitated, purification of, 819
 endemic, 78
 Percutaneous Absorption of Flurbiprofen in the Hairless Rat Measured In Vivo Using ^{19}F Magnetic Resonance Spectroscopy, Lee DJ, Burt CT, Koch RL, 431
 Percutaneous permeation of drugs, role of intercellular lipids in stratum corneum, 278
 Perifollicular lymphoid infiltration, 40
 Peripheral blood lymphocytes of patients with erythroderma, analysis of, 361
 Peroxidase, horseradish, 53
 Peroxides, treatment of cultured human keratinocytes, 859
 Persistent Immune Tolerance to Nickel and Chromium by Oral Administration Prior to Cutaneous Sensitization, van Hoogstraten IMW, Boden D, von Blomberg BME, Kraal G, Scheper RJ, 608
 Phorbol ester, 315
 Phosphodiesterase, monocyte, activity, 65
 Pigmentosum, xeroderma, complementation group A fibroblasts, 634
 Pilosebaceous units, topical delivery enhancement with multilamellar liposomes, 108
 Plasminogen activator activity in human and murine keratinocytes by TGF- β 1, 193
 Platelets, human blood, 27S
 Podofilox treatment, topical, of papillomas, preclinical system for evaluating, 813
 Polymerase chain reaction, 830
 Polymorphic light eruption, adhesion molecule expression in, 504
 Polymorphism of the Human Genome: Markers for Genetic Linkage Analyses in Heritable Diseases of the Skin, Christiano AM, Uitto J, 519
 Port-wine stains, histochemistry after treatment, 160
 Preclinical System for Evaluating Topical Podofilox Treatment of Papillomas: Dose-Response and Duration of Growth Prior to Treatment, Kreider JW, Christensen ND, Christian CB, Pickel MD, 813
 Pregnancy, cutaneous blood flow in gestational hypertension and, 310
 Pregnant Women with Endemic Pemphigus Foliaceus (Fogo Selvagem)
 Give Birth to Disease-Free Babies, Rocha-Alvarez R, Friedman H, Campbell IT, Souza-Aguiar L, Martins-Castro R, Diaz LA, 78
 Presence of Amelanotic Melanocytes Within the Outer Root Sheath in Senile White Hair, Takada K, Sugiyama K, Yamamoto I, Ōba K, Takeuchi T, 629
 Primary
 allogeneic T-cell response, 87S
 cutaneous T-cell lymphomas, non-Hodgkin's, 587
 nodal T-cell lymphomas, non-Hodgkin's, 587
 Profilaggrin genes, 542
 Progress in Dermatology: Dermatitis Herpetiformis, Hall RP III, 873
 Progressive acute graft-versus-host disease, 397
 Proliferating keratinocytes in 48 h patch test reactions, density of, 449
 Protein(s)
 antigens, 331
 collagenous, 258
 cellular retinoid-binding, 79S
 connexin 43, gap-junctional, 460
 expression in human skin, 343
 43, growth-associated, 734
 kinase C-related signal-transduction pathway, 482
 multidomain adhesion, 691
 nuclear, in transcription of human K5 keratin gene, 206
 180-kD, 174
 72-kD heat shock, 634

Protein Kinase C in Normal Human Epidermal Keratinocytes During Proliferation and Calcium-Induced Differentiation, Matsui MS, Chew SL, DeLeo VA, 565
 Proteoglycan
 cell surface, identification and characterization of on keratinocytes, 374
 free chain expression in 3T3 fibroblasts and human keratinocytes, topography of, 386
 heparan sulfate, 381, 887
 Proteoglycans Synthesized by Adult Human Epidermis in Whole Skin Organ Culture, Martikainen A-L, Tammi M, Tammi R, 623
 Pseudo-B-cell lymphomas, 749
 Pseudoxanthoma elasticum, 660
 Psoriasis
 -associated fatty acid-binding protein, 299
 lesional elastase activity in, 306
 simple assays of retinoid activity in treatment of, 9S
 type I keratinocyte transglutaminase, expression in human skin, 27
 Psoriatic
 cytokine network, intraepidermal, 882
 patients, urine of, demonstration of skin-derived antileukoprotease in, 3
 Purification of Functional Active Epidermal Langerhans Cells: A Simple and Efficient New Technique, *rapid communication*, Morris J, Alaibac M, Jia M-H, Chu T, 237
 Purification of Immunoprecipitated Pemphigus Foliaceus Antigen Fragment and Its Use in Radioimmunoassay, Labib RS, Izumi H, Santana H, Rock B, Anhalt GJ, 819
 Push-pull meter, 232

Q

Quantitative Determination of EGF-R During Epidermal Wound Healing, Stoscheck CM, Nanney LB, King LE Jr, 645

R

Radiation, ultraviolet doses that modulate accessory cell activity and ICAM-1 expression, 71S
 effects on murine epidermal Langerhans cells, 83
 Radioimmunoassay, 819
 Reactive oxygen species in skin inflammation, 675
 Receptor(s)
 integrin, expression and role in Sézary syndrome, 151
 vitronectin, 71S
 Recessive
 dystrophic epidermolysis bullosa inversa, 550
 ichthyoses, autosomal, 75S
 Reconstructed epidermis, differential expression of calgranulin A and B in various epithelial cell lines, 639
 Regulation of the Skin Immune System by Retinoids During Carcinogenesis, Halliday GM, Ho KK-L, Barnetson RS, 83S
 Relationship Between Cholesterol Sulfate and Intercellular Cohesion of the Stratum Corneum: Demonstration Using a Push-Pull Meter and an Improved High-Performance Thin-Layer Chromatographic Separation System of All Major Stratum Corneum Lipids, Serizawa S, Osawa K, Togashi K, Yamamoto A, Ito M, Hamanaka S, Otsuka F, 232
 Relative Importance of Prior Basal Cell Carcinomas, Continuing Sun Exposure, and Circulating T Lymphocytes on the Development of Basal Cell Carcinoma, Robinson JK, Rademaker AW, 227
 Relaxin Alone and in Conjunction with Interferon- γ Decreases Collagen Synthesis by Cultured Human Scleroderma Fibroblasts, Unemori EN, Bauer EA, Amento EP, 337
 Release of Soluble Fc γ RII/CD32 Molecules by Human Langerhans Cells: A Subtle Balance Between Shedding and Secretion?, de la Salle C, Esposito-Faresse M-E, Bieber T, Moncuit J, Morales M, Wollenberg A, de la Salle H, Fridman WH, Cazenave J-P, Teillaud J-L, Hanau D, 15S
 Replication, fibroblast, in dermal fibrosis, 779
 Retinoic acid
 identification, 842
 treatment, short term, 283
 Retinoic acid-binding protein, cellular, 146
 Retinoic acid-treated human skin, 146
 Retinoid(s)
 activity, simple assays, in treatment of psoriasis, 9S
 -binding proteins, cellular, 79S

- modulation of gap-junctional protein connexin 43 expression in dermis and epidermis of human skin, 460
 regulation of the skin immune system during carcinogenesis, 83S
 Retinol Uptake by Human Keratinocytes—Receptor-Mediated or Not?, letter, Vahlquist A, Törmä H, 512
 RGDS, 656
 Richard B. Stoughton, M.D.—A Tribute, *tribute*, Goltz RW, 668
 Role of Intercellular Lipids in Stratum Corneum in the Percutaneous Permeation of Drugs, Harada K, Murakami T, Yata N, Yamamoto S, 278

S

- Scanning Electron Microscopy of the Epidermal Lamina Densa in Normal Human Skin, Mihara M, Miura M, Suyama Y, Shimao S, 572
Schistosoma mansoni, 59
 Scleroderma
 fibroblasts, cultured human, 337
 skin, 201
 Sebaceous glands, 509
 Sebocyte proliferation, human, in vitro control by testosterone and 5- α -dihydrotestosterone, 509
 Selective Expansion of V δ 1 + T Cells from Leprosy Skin Lesions, Uyemura K, Ho CT, Ohmen JD, Rea TH, Modlin RL, 848
 Selective Involvement of Keratins K1 and K10 in the Cytoskeletal Abnormality of Epidermolytic Hyperkeratosis (Bullous Congenital Ichthyosiform Erythroderma), Ishida-Yamamoto A, McGrath JA, Judge MR, Leigh IM, Lane EB, Eady RAJ, 19
 Self-renewing epidermal keratinocytes, 422
 Senile white hair, amelanotic melanocytes within the outer root sheath, 629
 72-kD heat shock protein, induction in xeroderma pigmentosum complementation group A fibroblasts, 634
 Sézary syndrome
 expression and role of integrin receptors, 151
 (SzS) patients, aberrant cytokine production, 90
 Sheep skin, carcinogen-treated, 51S
 Short-Term Retinoic Acid Treatment Increases In Vivo, but Decreases In Vitro, Epidermal Transglutaminase-K Enzyme Activity and Immunoreactivity, Griffiths CEM, Rosenthal DS, Reddy AP, Elder JT, Astrom A, Leach K, Wang TS, Finkel LJ, Yuspa SH, Voorhees JJ, Fisher GJ, 283
 Sialyl Lewis X, human epidermal keratinocyte expression, 601
 Signal-transduction pathway, protein kinase C-related, 482
 Simple Assays of Retinoid Activity as Potential Screens for Compounds That May Be Useful in Treatment of Psoriasis, West MR, Page JM, Turner DM, Wood EJ, Holland DB, Cunliffe WJ, Rupniak HT, 95
 Simple epithelial keratins, expression of, 51S
 SKALP, 3
 Skin
 adult, 201
 -derived antileukoproteinase (SKALP) in urine of psoriatic patients, 3
 disorders, genetic, of keratin, 671
 fibroblast
 elevated elastin production associated with Buschke-Ollendorf syndrome, 129
 human, 864
 grafts, cultured, functional innervation of, 120
 heritable diseases, markers for genetic linkage analyses, 519
 human
 epidermis, 54S
 mast cells, effect of FK-506 on, 723
 nerve growth factor receptor, 734
 retinoic acid-treated, 146
 tuberculin-induced delayed-type hypersensitivity reactions, 784
 immune system, regulation by retinoids during carcinogenesis, 83S
 neonatal, explants, 350
 scleroderma, 201
 Skin Color Measurements in Terms of CIELAB Color Space Values, Weatherall IL, Coombs BD, 468
 Skin Inflammation: Reactive Oxygen Species and the Role of Iron, Trenam CW, Blake DR, Morris CJ, 675
 Sodium lauryl sulphate-induced contact dermatitis, 109S
 Solar-simulated irradiation, 743
 Spectroscopy, ^{19}F magnetic resonance, 431
 Sphingoid bases in the stratum corneum of normal and pathologic human skin conditions, 617
 Spiperone, topical, 594

- Stereologic Estimation of Volume-Weighted Mean Nuclear Volume as a Predictor of Prognosis in "Thin" Malignant Melanoma, Binder M, Dolezal I, Wolff K, Pehamberger H, 180
 Stereometric analysis of Langerhans cells in mouse epidermis, 774
 Stimulation of collagenase production in cultured human fibroblasts by UVA irradiation, 440
 Stimulation of Langerhans Cell Migration by Tumor Necrosis Factor α (TNF- α), Kimber I, Cumberbatch M, 48S
 Stratification of keratinocytes, changes in syndecan-1, 390
 Stratum corneum
 ichthyoses, autosomal recessive, 755
 intercellular cohesion, 232
 membrane structural abnormalities in, 755
 of normal and pathologic human skin conditions, 617
 role of intercellular lipids, 278
 Stress, oxidative, 859
 Structural abnormalities, membrane, in the stratum corneum of the autosomal recessive ichthyoses, 755
 Studies on Human Skin Lymph Containing Langerhans Cells from Sodium Lauryl Sulphate Contact Dermatitis, Brand CU, Hunziker T, Braathen LR, 109S
 Subacute cutaneous lupus erythematosus and discoid lupus erythematosus, distinctions between, 251
 Sun exposure, habitual, effect on the genetic response of cultured keratinocytes to solar-simulated irradiation, 743
 Sunlight and ultraviolet A radiation sensitivities in cultured human melanocytes from black individuals differ from those of white individuals, 454
 Syndecan-1, a Cell-Surface Proteoglycan, Changes in Size and Abundance when Keratinocytes Stratify, Sanderson RD, Hinkes MT, Bernfield M, 390
 Synergistic Effects of Interleukin 4 and Interferon-Gamma on Monocyte Phosphodiesterase Activity, Li S-H, Chan SC, Toshitani A, Leung DYM, Hanifin JM, 65

T

- T-cell(s)
 activation, antigen-specific, 77S
 adult, leukemia-derived factor/thioredoxin, 101
 lymphoma, cutaneous, 514
 receptor beta gene rearrangement, 361
 response, primary allogeneic, accessory function of human Langerhans cells in, 87S
 V δ 1 +, from leprosy skin lesions, 848
 T-Cell Receptor V β -Family Usage in Primary Cutaneous and Primary Nodal T-Cell Non-Hodgkin's Lymphomas, Preesman AH, Hu H-Z, Tilanus MGJ, de Geus B, Schuurman H-J, Reitsma R, van Wichen DF, van Vloten WA, de Weger RA, 587
 T-lymphocytes, 227
 Testosterone, 509
 TGF β , expression in human epidermal dendritic cells, 114
 TGF- β , 650, 808
 TGF- β 1, 193
 The More Things Change . . . , *editorial*, O'Keefe EJ, 117
 Thioredoxin, 101
 Third International Workshop on Langerhans Cells: Discussion Overview, Bergstresser PR, Cruz PD Jr, Niederkorn JY, Takashima A, 1S
 3 β -hydroxysteroid dehydrogenase/ δ 5- δ 4 isomerase in human skin, characterization, expression, and immunohistochemical localization of, 415
 Three-Dimensional Reconstruction and Stereometric Analysis of Langerhans Cells in Mouse Epidermis, Karaš Z, Warchol JB, Jaroszewski J, 774
 3,4-dihydroxybenzylamine, 289
 3T3 fibroblasts, 386
 Th2
 allergen-specific T-cells in atopic dermatitis, 103S
 murine, cells, resemblance to cytokine secretion pattern in Sezary syndrome patients, 90
 Thyroid hormone receptor, identification of, 842
 TNF- α , 48S
 Topical
 podoflox treatment of papillomas, preclinical system for evaluating, 813
 spiperone, 594
 Topical Delivery Enhancement with Multilamellar Liposomes into Pilose-

- baceous Units: I. In Vitro Evaluation Using Fluorescent Techniques with the Hamster Ear Model, Lieb LM, Ramachandran C, Egbaria K, Weiner N, 108
- Topical Minoxidil in Alopecia Areata: No Effect on the Perifollicular Lymphoid Infiltration, Khoury EL, Price VH, Abdel-Salam MM, Stern M, Greenspan JS, 40
- Topically Applied Verapamil Hydrochloride Inhibits Tuberculin-Induced Delayed-Type Hypersensitivity Reactions in Human Skin, McFadden J, Bacon K, Camp R, 784
- Topography of Proteoglycan and Glycosaminoglycan Free Chain Expression in 3T3 Fibroblasts and Human Keratinocytes, Piepkorn M, Hovingh P, Linker A, 386
- Transforming growth factor- α , 350
- Transforming growth factor-alpha and cell surface receptors, 882
- Transforming Growth Factor- β Up-Regulates the Expression of the Genes for $\beta 4$ Integrin and Bullous Pemphigoid Antigens (BPAG1 and BPAG2) in Normal and Transformed Human Keratinocytes, Solberg S, Ryyanen J, Olsen DR, Uitto J, 409
- Transglutaminase-K enzyme activity and immunoreactivity, 283
- Trichohyalin genes, 542
- Tuberculin-induced delayed-type hypersensitivity reactions in human skin, inhibition by topically applied verapamil hydrochloride, 784
- Tumor
- associated antigens, 66S
 - necrosis factor-alpha, 69S
 - progression, human melanocyte, 168
- Two Size Alleles of Human Keratin 1 Are Due to a Deletion in the Glycine-Rich Carboxyl-Terminal V2 Subdomain, The, Korge BP, Compton JG, Steinert PM, Mischke D, 697
- Type I collagen, 836
- Type I Keratinocyte Transglutaminase: Expression in Human Skin and Psoriasis, Schroeder WT, Thacher SM, Stewart-Galetka S, Annarella M, Chema D, Siciliano MJ, Davies PJA, Tang H-Y, Sowa BA, Duvic M, 27
- Type II keratin gene cluster, 524
- Type IV collagenase and collagen matrices, 836
- Tyrosinase, 435

U

- Ultrastructural analysis of basal cell carcinoma in vitro, 474
- Ultraviolet
- irradiation, effect of local, on mice infected with *Candida albicans*, *Mycobacterium bovis* BCG, and *Schistosoma mansoni*, 59
 - radiation
 - effects on
 - epidermal proliferation and antioxidant status, 189
 - murine epidermal Langerhans cells, 83
 - modulation of accessory cell activity and ICAM-1 expression, 71S
- Ultraviolet A and sunlight radiation sensitivities in cultured human melano-

- cytes from black individuals differ from those of white individuals, 454
- Ultraviolet A Irradiation Stimulates Collagenase Production in Cultured Human Fibroblasts, Petersen MJ, Hansen C, Craig S, 440
- Ultraviolet B resistance and susceptibility, 74S
- Ultraviolet Light Irradiation Increases Cellular Diacylglycerol and Induces Translocation of Diacylglycerol Kinase in Murine Keratinocytes, Punnonen K, Yuspa SH, 221
- Urine of psoriatic patients, demonstration of skin-derived antileukoprotease in, 3
- Use of the Polymerase Chain Reaction in Quantification of Interleukin 8 mRNA in Minute Epidermal Samples, Paludan K, Thestrup-Pedersen K, 830
- UV-irradiated mice, 20S

V

- V β -family, T-cell receptor, 587
- V $\delta 1$ + T-cells from leprosy skin lesions, selective expansion, 848
- Verapamil hydrochloride, topically applied, 784
- Virus type 1, human immunodeficiency, isolation of, 271
- Vitiligo
- complement (C4), 853
 - keratinocytes in, 66S
- Vitronectin receptor, 715
- Volume-weighted mean nuclear volume as a predictor of "thin" malignant melanoma prognosis, 180

W

- Water space, interstitial, in human skin, microdialysis of, 357
- Whole skin organ culture, 623
- Workshop on Pseudoxanthoma Elasticum: Molecular Biology and Pathology of the Elastic Fibers, Jefferson Medical College, Philadelphia, Pennsylvania, June 10, 1992, Christiano AM, Lebowitz MG, Boyd CD, Uitto J, 660
- Wound
- fluid, biologic properties, 559
 - healing
 - abnormal, 579
 - collagenase in, 709
 - cutaneous, 870

X

- Xeroderma pigmentosum complementation group A fibroblasts, 634